

WKTR-E – Vertical, Multistage, Heavyduty Double-casing Pump Type VS6



Sizes 200 - 300A



Applications:

- Processes with critical NPSH conditions in chemical and petrochemical industries
- Condensate extraction
- Tank storage
- Pipeline services
- Liquefied gas
- Refineries

More information: www.ksb.com

WKTR-E – Vertical, Multistage, Heavy-duty Double-casing Pump Type VS6 to API 610 / ISO 13709

1 Rigid coupling

Coupling with removable spacer arranged between seal chamber and thrust bearing facilitates maintenance and removal of mechanical seal.

2 Rigid joints

Can with separate sole plate and through-bolting at main flange ensure the highest joint integrity even for cryogenic applications.

3 Robust radial bearings

Product-lubricated carbon guide bearings with bearing span below requirements of API 610 ensure low vibrations and reliable operation.

• Other guide bearing materials available on request

4 Integral thrust bearings


Oil-lubricated bearings integrated in the pump exceed the life requirements specified by API 610, reducing maintenance costs and work. Bearings located at the motor are not subjected to thrust forces from pump.

• Oil mist lubrication available on request

5 Variety of seals

Seal chamber with optional heating/cooling jacket, designed to API 610 allows installation of any API 682 seal to meet process requirements.

Gland packing available on request



6 Suction hydraulics

First-stage impeller designed for enhanced suction performance ensures low NPSH values and a short pump design. Bellmouth with flow guide vanes guarantees low-turbulence operation. Available with single and double suction.

6 m / 492 ft

Materials	Technical data	50 Hz	60 Hz	
	Max. flow rate	1500 m³/h / 6604 US gpm	1650 m³/h / 7264 US gpm	
S5, S6, S8, C6, A8, D1, D2	Max. head	600 m /	600 m / 1958 ft	
	Max. pressure	51 bar / 740 psi		
	Max. temperature	-45 to + 250 °C	-45 to + 250 °C / -49 to 782 °F	
	Nominal size	200 to 300 mm / 8 to 12 in		

Max. immersion depth

Other values on request



www.ksb.com